

Computer Science 3 - 2013

Programming Language Translation

Practical for Weeks 25 - 26, beginning 14 October 2013

This extended prac is designed to take you the best part of two weeks. Hand in your solutions *before* lunch time on **Monday 28 October**, correctly packaged in a transparent folder with your cover sheet and individual assessment sheets. Since the practical will have been done on a group basis, please hand in one copy of the cover sheet for each member of the group. These will be returned to you in due course, signed by the marker. **Please make it clear whose folder you have used for the electronic submission, for example g03A1234.** Please resist the temptation to carve up the practical, with each group member only doing one or two tasks. The group experience is best when you work on tasks together.

The reason for requiring all submissions by 28 October is to free you up during swot week to prepare for the final examinations. I shall try to get the marking done as soon as possible after 28 October.

Objectives:

In this practical you are to

- familiarize yourself with the compiler described in chapters 12 and 13 that translates Parva to PVM code
- extend this compiler in numerous ways, some a little more demanding than others.

This prac sheet is at <http://www.cs.ru.ac.za/courses/CSc301/Translators/trans.htm>.

Outcomes:

When you have completed this practical you should understand

- several aspects of semantic constraint analysis in an incremental compiler
- code generation for a simple stack machine.

Hopefully after doing these exercises (and studying the attributed grammar and the various other support modules carefully) you will find you have learned a lot more about compilers and programming languages than you ever did before (and, I suspect, a lot more than undergraduates at any other university in this country). I also hope that you will have begun to appreciate how useful it is to be able to base a really large and successful project on a clear formalism - namely the use of attributed context-free grammars - and will have learned to appreciate the use of sophisticated tools like Coco/R.

To hand in:

By the hand-in date you are required to hand in, besides the cover sheets (one per group member):

- Listings of your `Parva.atg` file and the source of any auxiliary classes that you develop. Please print these on the laser printer using the LPRINT utility, as the listings get wide. Please ensure that the lines do all "fit" (into less than 120 characters) - lay out your grammars neatly! It would also help if you could use a highlighter to show where you have made changes.
- Some examples of very short test programs and the code generated by your systems.
- Electronic copies of your solutions.

I do NOT require listings of any Java or C# code produced by Coco/R.

Keep the prac sheet and your solutions until the end of the semester. Check carefully that your mark has been entered into the Departmental Records.

You are referred to the rules for practical submission which are clearly stated in our Departmental Handbook. However, for this course pracs must be posted in the "hand-in" box outside the laboratory and not given to demonstrators.

A rule not stated there, but which should be obvious, is that you are not allowed to hand in another group's or

student's work as your own. Attempts to do this will result in (at best) a mark of zero and (at worst) severe disciplinary action and the loss of your DP. You are allowed - even encouraged - to work and study with other students, but if you do this you are asked to acknowledge that you have done so. You are expected to be familiar with the University Policy on Plagiarism, which you can consult by following the links at:

<http://www.scifac.ru.ac.za/>

or from <http://www.ru.ac.za/>

Before you begin

The tasks are presented below in an order which, if followed, should make the practical an enjoyable and enriching experience. Please do not try to leave everything to the last few hours, or you will come horribly short. You must work consistently, and with a view to getting an overview of the entire project, as the various components and tasks all interact in ways that will probably not at first be apparent. Please take the opportunity of coming to consult with me at any stage if you are in doubt as how best to continue. By all means experiment in other ways and with other extensions if you feel so inclined.

Please resist the temptation simply to copy code from model answers issued in previous years.

This version of Parva has been restricted so as not to include Parva functions. This means that there will be no practical work set on chapter 14 of the text. Because of the timing of our courses this is unavoidable, if highly regrettable. You should be warned that some of the material of that chapter may be examinable.

The operator precedences in Parva as supplied use a precedence structure based on that in C++ or Java, rather than the "Pascal-like" ones in the book. Study these carefully and note how the compiler provides "short-circuit" semantics correctly (see page 167) and deals with type compatibility issues (see section 12.6.8). The system has been further extended to allow for the `char` type, and study of this is also worthwhile.

You are advised that it is in your best interests to take this opportunity of really studying the code in the Parva grammar and its support files. The exercises have been designed to try to force you to do that, but it is always tempting just to guess and to hack. With a program of this size that often leads to wasting more time than it saves. Finally, remember the advice given in an earlier lecture:

Keep it as simple as you can, but no simpler.

A note on test programs

Throughout this project you will need to ensure that the features you explore are correctly implemented. This means that you will have to get a feel for understanding code sequences produced by the compiler. The best way to do this is usually to write some very minimal programs, that do not necessarily do anything useful, but simply have one, or maybe two or three statements, the object code for which is easily predicted and understood.

When the Parva compiler has finished compiling a program, say `SILLY.PAV`, you will find that it creates a file `SILLY.COD` in which the stack machine assembler code appears. Studying this is often very enlightening.

Useful test programs are small ones like the following. There are some specimen test programs in the kit, but these are deliberately incomplete, wrong in places, too large in some cases and so on. Get a feel for developing some of your own.

```
$D+ // Turn on debugging mode
void main (void) {
    int i;
    int[] List = new int[10];
    while (true) { // infinite loop, can generate an index error
        read(i);
        List[i] = 100;
    }
}
```

The debugging pragma

It is useful when writing a compiler to be able to produce debugging output - but sometimes this just clutters up a production quality compiler. The `PARVA.ATG` grammar makes use of the `PRAGMAS` option of Coco/R (see text, page 128) to allow pragmas like those shown to have the desired effect.

```
$D+ /* Turn debugging mode on */
$D- /* Turn debugging mode off */
```

Task 1 - Create a working directory and unpack the prac kit

There are several files that you need, zipped up in the file PRAC25.ZIP (Java) or PRAC25C.ZIP (C#).

- Immediately after logging on, get to the command line level by using the Start -> All Programs -> Accessories -> Command prompt option from the tool bar.
- Copy the prac kit into a newly created directory/folder in your file space

```
J:
md prac25
cd prac25
copy i:\csc301\trans\prac25.zip
unzip prac25.zip
```

This will create several other directories "below" the prac25 directory:

```
J:\prac25
J:\prac25\library
J:\prac25\Parva
```

containing the Java classes for the I/O library, and for the code generator and symbol table handler.

You will also find the executable version of Coco/R and batch files for running it, frame files, and various sample data, code and the Parva grammar, contained in files with extensions like

```
*.ATG,    *.PAV
```

- As usual, you can use the CMAKE and CRUN commands to build and run the compiler. The kit also supplied a PARVA.BAT file to allow you to give a command like `parva voter.pav` more easily than by using CRUN.

Task 2 - Use of the debugging and other pragmas

We have already commented on the \$D+ pragma. At present it is only used to request the printout of a symbol table. How would you change the system so that one would have to use a similar pragma or command line option if one wanted to obtain the assembler code file - so that the ".COD" file with the assembler code listing would only be produced if it were really needed?

```
$C+ /* Request that the .COD file be produced */
$C- /* Request that the .COD file not be produced */
```

Another useful (run-time) debugging aid is the undocumented `stackdump` statement. Compilation of this is also controlled by the \$D pragma. In other words, the stack dumping code is only generated when in debug mode - much of the time you are testing your compiler you will probably be working in "debugging" mode, I expect.

Hint: This addition is almost trivially easy. You will also need to look at (and probably modify) the `Parva.frame` file, which is used as the basis for constructing the compiler proper (see page 140).

Task 3 - Learning many languages is sometimes confusing

If, like me, you first learned programming in languages other than Java, you may persist in making silly mistakes when writing Parva programs. For example, programmers familiar with Pascal and Modula-2 easily confuse the roles played by `==`, `!=` and `=` with the similar operators in Pascal denoted by `=`, `<>` and `:=`, and are prone to introduce words like `then` into *IfStatements*, giving rise to code like

```
if (a = b) then c := d;
if (x <> y) then p := q;
```

instead of

```
if (a == b) c = d;
if (x != y) p = q;
```

Can you think of (and implement) ways to handle these errors sympathetically - that is to say, to report them, but then "recover" from them without further ado?

(Confusing = with == in Boolean expressions is also something that C, C++ and Java programmers can do. It is particularly nasty in C/C++, where a perfectly legal statement like

```
if (a = b) x = y;
```

does not compare a and b, but assigns b to a, as you probably know).

Task 4 - Things are not always what they seem

Although not strictly illegal, the appearance of a semicolon in a program immediately following the condition in an *IfStatement* or *WhileStatement*, or immediately preceding a closing brace, may be symptomatic of omitted code. The use of a so-called *EmptyStatement* means that the example below almost certainly will not behave as its author intended:

```
read(i);
while (i > 10);
{
    write(i);
    i = i - 1;
}
```

It should be possible to warn the user when this sort of code is parsed; do so. Here is another example that might warrant a warning

```
while (i > 10) {}
```

Warnings are all very well, but they can become irritating. Use a `$W-` pragma or a `-w` command line option to allow advanced users to suppress warning messages.

Task 5 - Something to do - while you wait for inspiration

Add the *DoWhile* loop to Parva, as exemplified by

```
do { a = b; c = c + 10; } while (c < 100);
```

Task 6 - You had better do this one or else....

Add an *else* option to the *IfStatement*. Oh, yes, it is trivial to add it to the grammar. But be careful. Some *IfStatements* will have *else* parts, others may not, and the code generator has to be able to produce the correct code for whatever form is actually to be compiled. The following silly examples are all valid.

```
if (a == 1) { c = d; }
if (a == 1) {}
if (a == 1) {} else {}
if (a == 1) ; else { b = 1; }
```

In many languages an *IfStatement* also allows optional `elseif` clauses - the grammar for this simply being on the lines of

```
IfStatement = "if" "(" Condition ")" Statement
              { "elseif" "(" Condition ")" Statement }
              [ "else" Statement ] .
```

Implement this extension (make sure all the branches are correctly set up). By now you should know that this will lead to LL(1) warnings, but if you get the system correct these will not really matter.

Task 7 - This has gone on long enough - time for a break

The *BreakStatement* is syntactically simple, but takes a bit of thought. Give it some! Be careful - breaks can currently only appear within *while* loops, but there might be several break statements inside a single loop, and loops can be nested inside one another.

Task 8 - Make the change; enjoy life; upgrade now to Parva++ (Ta-ra!)

At last! Let's really make Parva useful and turn it into Parva++ by adding the increment and decrement *statement* forms, exemplified by

```
int parva;
int [] list = new int[10];
char ch = 'A';
...
parva++;
--ch;
list[10]--;
```

Suggestions for doing this - specifically by introducing new operations into the PVM - are made in section 13.5.1 of the text. Be careful - only integer and character variables (and array elements) can be handled in this way. Do not bother with the ++ and -- operators within *expressions*.

Task 9 - A short circuit is not always a quick trip around Prospect Field track

The Parva compiler as supplied generates "short-circuit" code when it needs *and* and *or* operators in expressions. Sometimes it might be useful to use the PVM.*and* and PVM.*or* instructions instead. Modify the code generation in the compiler so that a user can select what to do. Control this with a suitable pragma - say \$S+ and \$S-. Does this allow you to use a mixture of short circuit and Boolean semantics within a single program?

Task 10 - It should only take a MIN or two to derive MAX benefit from these tasks

Earlier in the course we explored adding opcodes like MIN, MAX and SQR to the PVM. This week, modify Parva and the PVM to allow for expressions in which might appear *min()* and *max()* functions, which can take one or more arguments, for example

```
Write(max(90), min(3, 5, 2, 12), max(min(2, 4), min(21, 4)));
```

You should start by checking that you know what output might be expected from the execution of that statement!

When you have gone sqr-eyed from all that effort, you should find adding the *sqr()* function to be a breeze.

Task 11 - In case you are have nothing better to do -

Things are getting more interesting by this stage, and more challenging.

In the tutorial we discussed adding a *SwitchStatement* to Parva, with a syntax defined by

```
SwitchStatement = "switch" "(" Expression ")" "{"
                  { CaseLabelList Statement { Statement } }
                  [ "default" ":" { Statement } ]
                  "}" .
CaseLabelList   = CaseLabel { CaseLabel } .
CaseLabel       = "case" [ "+" | "-" ] Constant ":" .
```

Don't you wish you had paid better attention to the discussion (that little graph comes back to haunt us all).

Well, being a generous fellow, I have added the productions to the *Parva.atg* file already. But I'll leave it to you to handle the static semantic checking and the code generation. So your Parva compiler can already recognise switch statements, it just can't generate code to make them work.

Oh, all right. It's near the end of the course, and you kiddies are getting tired. If you come to the tutorial next week I'll give you some ideas about the code generation "aswell".

And in any case, next week there may be a few other interesting tasks to do - it's time you learned about cross compilers, and we hope to show you how to turn your Parva compiler into one of those.

Task 11 - Generating tighter PVM code

Way back in Practical 20 we added some specialized opcodes like `LDC_1`, `LDA_2` and so on to the PVM. They are still there in the version supplied with the kit. Seems a shame not to use them, so modify the code generator to achieve this for you.

Making use of `LDL N` and `STL N` in place of `LDA`, `LDV` and `STO` where possible is a bit more challenging, but for some bonus marks, feel free to experiment if you wish.

Have fun, and good luck.