

References

- Abowd, D., Dey, A. K., Orr, R., & Brotherton, J. (1998). Context-awareness in wearable and ubiquitous computing. *Virtual Reality*, 3(3), 200–211.
- Agent. (2014). *Agent smartwatches*. Retrieved from <http://agentwatches.com/> (Accessed on 28/05/2014)
- Alston, C. (2014). *Field Study: Definition, Research & Quiz*. Retrieved from <http://education-portal.com/academy/lesson/field-study-definition-research-quiz.html#lesson> (Accessed on 20/10/2014)
- Amma, C., & Schultz, T. (2013, December). Airwriting: Bringing Text Entry to Wearable Computers. *XRDS*, 20(2), 50–55.
- Android. (2014a). *Android developers*. Retrieved from <http://developer.android.com/develop/index.html> (Accessed on 28/05/2014)
- Android. (2014b). *App manifest*. Retrieved from <http://developer.android.com/guide/topics/manifest/manifest-intro.html> (Accessed on 20/10/2014)
- Angelini, L., Caon, M., Carrino, S., & Bergeron. (2013). Designing a desirable smart bracelet for older adults. In *Proceedings of the 2013 ACM Conference on Pervasive and Ubiquitous Computing Adjunct Publication* (pp. 425–434). New York, NY, USA: ACM.
- Arnone, M. P., Small, R. V., Chauncey, S. A., & McKenna, H. P. (2011). Curiosity, interest and engagement in technology-pervasive learning environments: a new research agenda. *Educational Technology Research and Development*, 59(2), 181–198.

- Azuma, R. T. (1997). A survey of augmented reality. *Presence*, 6(4), 355–385.
- Bangor, A., Kortum, P., & Miller, J. (2009). Determining what individual SUS scores mean: Adding an adjective rating scale. *Journal of usability studies*, 4(3), 114–123.
- Basili, V. R. (1992). *Software modeling and measurement: the Goal/Question/Metric paradigm* (Tech. Rep.). Techreport UMIACS TR-92-96, University of Maryland at College Park, College Park, MD, USA.
- Bass, L., Kasabach, R., Siewiorek, D., & Smailagic. (1997). The design of a wearable computer. In *Proceedings of the ACM SIGCHI Conference on Human Factors in Computing Systems* (pp. 139–146). New York, NY, USA: ACM.
- Bell, G. (2014, January). *Moore's law evolved the pc industry; bell's law disrupted it with players, phones, and tablets: New platforms, tools, and services* (Tech. Rep.). Microsoft Research, Silicon Valley Laboratory 835 Market Street. Suite 700 San Francisco, CA 94103: Microsoft Corporation.
- Bieber, G., Haescher, M., & Vahl, M. (2013). Sensor Requirements for Activity Recognition on Smart Watches. In *Proceedings of the 6th International Conference on Pervasive Technologies Related to Assistive Environments* (pp. 67:1–67:6). New York, NY, USA: ACM.
- Bieber, G., Kirste, T., & Urban, B. (2012). Ambient Interaction by Smart Watches. In *Proceedings of the 5th International Conference on Pervasive Technologies Related to Assistive Environments* (pp. 39:1–39:6). New York, NY, USA: ACM.
- Blackstone, A. (2014, October). *Principles of Sociological Inquiry: Qualitative and Quantitative Methods, v. 1.0*. Retrieved from http://catalog.flatworldknowledge.com/bookhub/reader/3585?e=blackstone_1.0-ch10_s02 (Accessed on 20/10/2014)
- Boehm, B. W. (1988). A spiral model of software development and enhancement. *Computer*, 21(5), 61–72.
- Bowen, K., & Pistilli, M. D. (2012). *Student Preferences for Mobile App Usage*. (Forthcoming)

- Brooke, J. (1996). SUS-A quick and dirty usability scale. *Usability evaluation in industry*, 189, 194.
- Charland, A., & Leroux, B. (2011, May). Mobile Application Development: Web vs. Native. *Commun. ACM*, 54(5), 49–53.
- Chen, X. A., Grossman, T., Wigdor, D. J., & Fitzmaurice, G. (2014). Duet: Exploring Joint Interactions on a Smart Phone and a Smart Watch. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (pp. 159–168). New York, NY, USA: ACM.
- Chyla, P. (2013). *Remote display for smartphone* (Unpublished master's thesis). California State University Northridge.
- CloudPebble. (2014). *Cloud pebble*. Retrieved from <https://cloudpebble.net/> (Accessed on 28/05/2014)
- De Russis, L. (2014). *Interacting with Smart Environments: Users, Interfaces, and Devices* (Unpublished doctoral dissertation). Politecnico di Torino.
- Dinh, H. T., Lee, C., Niyato, D., & Wang, P. (2013). A survey of mobile cloud computing: architecture, applications, and approaches. *Wireless Communications and Mobile Computing*, 13(18), 1587–1611.
- Dunlop, M. D., Komninos, A., & Durga, N. (2014). Towards High Quality Text Entry on Smartwatches. In *CHI '14 Extended Abstracts on Human Factors in Computing Systems* (pp. 2365–2370). New York, NY, USA: ACM.
- Egger, F. N. (2000). Lo-Fi vs. Hi-Fi Prototyping: how real does the real thing have to be. In *Teaching HCI workshop, OzCHI*.
- Fitbit. (2014). *Fitbit*. Retrieved from <http://www.fitbit.com/> (Accessed on 27/05/2014)
- Funk, M., Sahami, A., Henze, N., & Schmidt, A. (2014). Using a Touch-sensitive Wristband for Text Entry on Smart Watches. In *CHI '14 Extended Abstracts on Human Factors in Computing Systems* (pp. 2305–2310). New York, NY, USA:

ACM.

- Garber, L. (2013). Gestural Technology: Moving Interfaces in a New Direction [Technology News]. *Computer*, 46(10), 22–25.
- Gomez, C., Oller, J., & Paradells, J. (2012). Overview and evaluation of bluetooth low energy: An emerging low-power wireless technology. *Sensors*, 12(9), 11734–11753.
- Google. (2014). *Glass*. Retrieved from <http://www.google.co.za/glass/start/> (Accessed on 27/05/2014)
- Goss, P. (2013, June). *Why NFC is the killer app for the smartwatch*. Retrieved from <http://www.techradar.com/news/world-of-tech/your-laziness-will-force-nfc-onto-apple-watch-1143721> (Accessed on 21/05/2014)
- Greaves, D. (2000). *Olivetti research active badge*. Retrieved from <http://koo.corpus.cam.ac.uk/projects/badges/> (Accessed on 27/05/2014)
- Guay, M. (2014, June). *The 14 best online form builders for every task*. Retrieved from <https://zapier.com/blog/best-online-form-builder-software/> (Accessed on 25/09/2014)
- Haartsen, J. C., & Mattisson, S. (2000). Bluetooth-a new low-power radio interface providing short-range connectivity. *Proceedings of the IEEE*, 88(10), 1651–1661.
- Havighurst, L. C., Fields, L. E., & Fields, C. L. (2003). High versus low fidelity simulations: does the type of format affect candidates performance or perceptions. In *Proceedings from the 27th annual IPMAAC conference on personnel assessment*.
- Hodges, S. (2013). Batteries Not Included: Powering the Ubiquitous Computing Dream. *Microsoft Research Cambridge*, 46(4), 90-93.
- Horowitz, M. (2014). 1.1 Computing's energy problem (and what we can do about it). In *Solid-State Circuits Conference Digest of Technical Papers (ISSCC), 2014 IEEE International* (pp. 10–14).
- Hughes, G., Long, A., Maddock, A., & Bearman, C. (2013). Effective User Feedback: The

- Practical Value of Mock-ups. In *HFESA 47th Annual Conference 2011. Ergonomics Australia - Special Edition*.
- Hutterer, P., Smith, M. T., Thomas, B. H., Piekarski, W., & Ankcorn, J. (2005). Lightweight User Interfaces for Watch Based Displays. In *Proceedings of the Sixth Australasian Conference on User Interface - Volume 40* (pp. 89–98). Darlinghurst, Australia, Australia: Australian Computer Society, Inc.
- Joseph, J. (2013). Mobile OS–Comparative Study. *Journal of Engineering Computers & Applied Sciences*, 2(10), 10–19.
- Jost, K., Stenger, D., Perez, C. R., & McDonough. (2013). Knitted and screen printed carbon-fiber supercapacitors for applications in wearable electronics. *Energy & Environmental Science*, 6(9), 2698–2705.
- K9Mail. (2014, October). *K-9 mail an advanced email client for android*. Retrieved from <https://play.google.com/store/apps/details?id=com.fsck.k9&hl=en> (Accessed on 22/10/2014)
- Kerber, F., Krüger, A., & Löchtefeld, M. (2014). Investigating the Effectiveness of Peephole Interaction for Smartwatches in a Map Navigation Task. In *Proceedings of the 16th International Conference on Human-computer Interaction with Mobile Devices & Services* (pp. 291–294). New York, NY, USA: ACM.
- Kim, J., He, J., Lyons, K., & Starner, T. (2007). The gesture watch: A wireless contact-free gesture based wrist interface. In *Wearable Computers, 2007 11th IEEE International Symposium on* (pp. 15–22).
- Knibbe, J., Martinez, D., & Bainbridge, C. (2014). Extending Interaction for Smart Watches: Enabling Bimanual Around Device Control. In *CHI '14 Extended Abstracts on Human Factors in Computing Systems* (pp. 1891–1896). New York, NY, USA: ACM.
- Kreutzer, T. (2009). Generation mobile: online and digital media usage on mobile phones among low-income urban youth in South Africa. *University of Cape Town, SA*.
- Kreyos. (2014). *Kreyos meteor*. Retrieved from <https://www.kreyos.com/> (Accessed

on 28/05/2014)

- Krogstie, J. (2012). *Model-based development and evolution of information systems: A Quality Approach*. Springer.
- Kurose, J. F., & Ross, K. (2002). *Computer networking: A top-down approach featuring the internet* (2nd ed.). Boston, MA, USA: Addison-Wesley Longman Publishing Co., Inc.
- Li, S.-C. S. (2014). Adoption of three new types of computers in Taiwan: Tablet PCs, netbooks, and smart phones . *Computers in Human Behavior*, *35*(0), 243 - 251.
- Liu, Y., Li, F., Guo, L., Shen, B., & Chen, S. (2013). A comparative study of android and iOS for accessing internet streaming services. In *Passive and Active Measurement* (pp. 104–114).
- Mann, S. (1997a, Oct). An historical account of the 'WearComp' and 'WearCam' inventions developed for applications in 'personal imaging'. In *Wearable Computers, 1997. Digest of Papers., First International Symposium on Wearable Computing* (p. 66-73).
- Mann, S. (1997b). Smart clothing: The wearable computer and wearcam. *Personal Technologies*, *1*(1), 21-27.
- Marcial, L. H. (2010). *A comparison of screen size and interaction technique: Examining execution times on the smartphone, tablet and traditional desktop computer* (Unpublished master's thesis). University of North Carolina at Chapel Hill.
- Marks, P. (2013). Samsung launch kickstarts the smartwatch boom. *New Scientist*, *219*(2934), 22.
- Martian. (2014). *Martian smartwatch*. Retrieved from <http://www.martianwatches.com/> (Accessed on 28/05/2014)
- Mayoux, L. (2014). *Qualitative Methods*. Retrieved from <http://www.proveandimprove.org/documents/QualMethods.pdf> (Accessed on 16/10/2014)

- McGuckin, Conor and Crowley, Niall. (2012). Using Google Analytics to evaluate the impact of the CyberTraining project. *Cyberpsychology, Behavior, and Social Networking*, 15(11), 625–629.
- McHugh, S., & Yarmey, K. (2014). Near field communication: Recent developments and library implications. *Synthesis Lectures on Emerging Trends in Librarianship*, 1(1), 13.
- Meier, R. (2012). *Professional Android 4 application development*. John Wiley & Sons.
- Mims, C. (2013, July). *What I learned from researching almost every single smart watch that has been rumored or announced*. Retrieved from <http://qz.com/102646/takeaways-from-every-single-smart-watch/> (Accessed on 21/05/2014)
- Montgomery-Downs, H., Insana, S., & Bond, J. (2012). Movement toward a novel activity monitoring device. *Sleep and Breathing*, 16(3), 913-917.
- Morganti, E., Angelini, L., Adami, A., Lalanne, D., Lorenzelli, L., & Mugellini, E. (2012). A Smart Watch with Embedded Sensors to Recognize Objects, Grasps and Forearm Gestures . *Procedia Engineering*, 41(0), 1169 - 1175. (International Symposium on Robotics and Intelligent Sensors 2012 (IRIS 2012))
- Muensterer, O. J., & Lacher, M. (2014). Google Glass in pediatric surgery: An exploratory study . *International Journal of Surgery*, 12(4), 281 - 289.
- Narayanaswami, C., Kamijoh, N., Raghunath, M., Inoue, T., & Cipolla. (2002, Jan). IBM's Linux watch, the challenge of miniaturization. *Computer*, 35(1), 33-41.
- Narayanaswami, C., & Raghunath, M. (2000). Application Design for a Smart Watch with a High Resolution Display. *2012 16th International Symposium on Wearable Computers*, 0, 7.
- Narayanaswami, C., Raghunath, M., & Kamijoh. (2001, January). *What would you do with a hundred mips on your wrist?* (Tech. Rep.). Thomas J. Watson Research Center P.O. Box 218 Yorktown Heights, NY 10598: IBM Research Division.
- NeptunePine. (2014). *Neptune pine smartwatch*. Retrieved from www.neptunepine.com

(Accessed on 28/05/2014)

Nielsen, J. (1994). *Usability engineering*. Elsevier.

Nike. (2014). *Nike+ Fuelband SE*. Retrieved from http://www.nike.com/us/en_us/c/nikeplus-fuelband (Accessed on 27/05/2014)

Pascoe, J., & Thomson, K. (2007). On the Use of Mobile Tools in Everyday Life. In *Proceedings of the 19th Australasian Conference on Computer-Human Interaction: Entertaining User Interfaces* (pp. 39–47). New York, NY, USA: ACM.

Patterson, S. M. (2013, October). *How smartwatch designers should be designing smartwatches*. Retrieved from <http://www.networkworld.com/community/blog/how-smartwatch-designers-should-design-smartwatches> (Accessed on 21/05/2014)

Paul, A. M. (2014, March). *The problem with that speed reading app everyone is talking about*. Retrieved from <http://theweek.com/article/index/258243/the-problem-with-that-speed-reading-app-everyones-talking-about> (Accessed on 28/05/2014)

Pebble. (2014a, October). *API Documentation: AppEventLoop*. Retrieved from https://developer.getpebble.com/2/api-reference/group___app.html#ga76a67379592a1844028767ee20332730 (Accessed on 12/10/2014)

Pebble. (2014b). *Api documentation: Bluetoothconnectionservice*. Retrieved from http://developer.getpebble.com/2/api-reference/group___bluetooth_connection_service.html#ga6661ab4bdb986715602183b7849ffe84 (Accessed on 11/09/2014)

Pebble. (2014c, October). *App communication*. Retrieved from http://developer.getpebble.com/2/api-reference/group___app_comm.html (Accessed on 23/10/2014)

Pebble. (2014d). *Develop for pebble*. Retrieved from <https://developer.getpebble.com/> (Accessed on 27/05/2014)

- Pebble. (2014e, September). *Pebble developer guide*. Retrieved from <https://developer.getpebble.com/2/guides/> (Accessed on 28/09/2014)
- Pebble. (2014f, September). *Pebble watchapp sdk*. Retrieved from <https://developer.getpebble.com/sdk/> (Accessed on 28/09/2014)
- Pebble. (2014g, October). *Working with the PebbleKit JavaScript Framework*. Retrieved from <https://developer.getpebble.com/2/guides/javascript-guide.html> (Accessed on 20/10/2014)
- Perez, S. (2014, April). *Google play still tops ios app store downloads, and now narrowing revenue gap, too*. Retrieved from <http://techcrunch.com/2014/04/15/google-play-still-tops-ios-app-store-downloads-and-now-narrowing-revenue-gap-too/> (Accessed on 29/05/2014)
- Perrault, S., & Lecolinet, E. (2014). Using Low-Power Sensors to Enhance Interaction on Wristwatches and Bracelets. In G. Memmi & U. Blanke (Eds.), *Mobile Computing, Applications, and Services* (Vol. 130, p. 261-264). Springer International Publishing.
- Petrovan, B. (2014, March). *Coming on the gear 2, spritz could make reading emails on a smartwatch a breeze*. Retrieved from <http://www.androidauthority.com/spritz-speed-read-samsung-galaxy-s5-gear-2-356274/> (Accessed on 21/05/2014)
- Ping, Z. (2013). *Smart Watches: Enrich Peoples Lives* (Unpublished doctoral dissertation). University of Auckland.
- PlayStore. (2014, September). *Pebble Native Application*. Retrieved from <https://play.google.com/store/apps/details?id=com.getpebble.android&hl=en> (Accessed on 28/09/2014)
- Playstore, G. (2014a, April). *Pebble rocker*. Retrieved from <https://play.google.com/store/apps/details?id=com.smallrocksoftware.pebblerocker&hl=en> (Accessed on 11/09/2014)
- Playstore, G. (2014b, August). *Phone pebble finder*. Retrieved from <https://play.google.com/store/apps/details?id=com.josephdeguzman.phoneandpebblefinder&hl=en> (Accessed on 11/09/2014)

- Qualcomm. (2014). *Mirasol*. Retrieved from <http://www.qualcomm.com/mirasol> (Accessed on 28/05/2014)
- Rhodes, B. (1997). The wearable remembrance agent: A system for augmented memory. *Personal Technologies*, 1(4), 218-224.
- Rogers, P., Sharp. (2014). *Interaction Design*. Wiley & Sons.
- Rudd, J., Stern, K., & Isensee, S. (1996). Low vs. high-fidelity prototyping debate. *interactions*, 3(1), 76–85.
- Rukzio, E., Leichtenstern, K., Callaghan, V., & Holleis. (2006). An Experimental Comparison of Physical Mobile Interaction Techniques: Touching, Pointing and Scanning. In P. Dourish & A. Friday (Eds.), *UbiComp 2006: Ubiquitous Computing* (Vol. 4206, p. 87-104). Springer Berlin Heidelberg.
- Sachse, J. (2010). *The standardization of Widget-APIs as an approach for overcoming device fragmentation* (Unpublished master's thesis). HTW-Berlin (University of Applied Sciences).
- Samsung. (2014). *Galaxy Gear 2 Specifications*. Retrieved from http://www.samsung.com/global/microsite/gear/gear2_specs.html (Accessed on 28/05/2014)
- Sanchez, C. A., & Goolsbee, J. Z. (2010). Character size and reading to remember from small displays. *Computers & Education*, 55(3), 1056 - 1062.
- Sandars, J., Homer, M., Pell, G., & Croker, T. (2008). Web 2.0 and social software: the medical student way of e-learning. *Medical Teacher*, 30(3), 308-312.
- Schlegelmilch, J. (2014, February). Spartan Daily. In San Jose State University (Ed.), (p. 3). San Jose State University, School of Journalism and Mass Communications.
- Seppala, T., & Broens, R. (2013, February). *How New Smartwatches Could Revolutionize the Artefact Surroundings of People* (Tech. Rep.). The Research Institute of the Finnish Economy Lnnrotinkatu 4 B FIN-00120 Helsinki Finland: The Research Institute of the Finnish Economy.

- Shanklin, W. (2013, November). *Review: Martian voice control smartwatch*. Retrieved from <http://www.gizmag.com/martian-watch-review/29834/> (Accessed on 28/05/2014)
- Sheusi, J. C. (2013). *Android Application Development for Java Programmers*. Cengage Learning.
- Smailagic, S. D., A. (2002). Application design for wearable and context-aware computers. *Pervasive Computing, IEEE*, 1(4), 20–29.
- Smichaels. (2012, February). *Usability: Using the System Usability Scale (SUS) in Practice*. Retrieved from <http://www.fusebox.com/2012/02/usability-using-the-system-usability-scale-sus-in-practice/> (Accessed on 17/10/2014)
- Smith, N. (2013, December). Classic Project: Pulsar P1 & P2 Quartz Wristwatch. *Engineering & Technology*, 8, 100-101(1).
- Snyder, C. (2003). *Paper prototyping: The fast and easy way to design and refine user interfaces*. Newnes.
- Sony. (2014a). *Open smartwatch project*. Retrieved from <http://developer.sonymobile.com/services/open-smartwatch-project/> (Accessed on 27/05/2014)
- Sony. (2014b). *Smartwatch2*. Retrieved from <http://www.sonymobile.com/global-en/products/accessories/smartwatch-2-sw2/specifications/#tabs> (Accessed on 24/05/2014)
- Spritz. (2014). *Spritz reading*. Retrieved from <http://www.spritzinc.com/the-science/> (Accessed on 24/05/2014)
- Starner, T. (2001). The challenges of wearable computing: Part 2. *IEEE Micro*, 21(4), 54–67.
- Starner, T. (2013). Wearable Computing: Through the Looking Glass. In *Proceedings of the 2013 International Symposium on Wearable Computers* (pp. 125–126). New York, NY, USA: ACM.

- Sutherland, I. E. (1968). A Head-mounted Three Dimensional Display. In *Proceedings of the December 9-11, 1968, Fall Joint Computer Conference, Part I* (pp. 757–764). New York, NY, USA: ACM.
- Swan, M. (2012). Sensor mania! the internet of things, wearable computing, objective metrics, and the quantified self 2.0. *Journal of Sensor and Actuator Networks*, 1(3), 217–253.
- Thorp, E. (1998, Oct). The invention of the first wearable computer. In *Wearable Computers, 1998. Digest of Papers. Second International Symposium on Wearable Computing* (p. 4-8).
- Tizen. (2014). *Tizen os*. Retrieved from <https://www.tizen.org/> (Accessed on 29/05/2014)
- Treder, M. (2012, July). *Wireframing, Prototyping, Mockuping Whats the Difference?* Retrieved from <http://designmodo.com/wireframing-prototyping-mockuping/> (Accessed on 11/10/2014)
- Virkus, Gille, Rouffineau & Brady. (2010). Dont Panic, Mobile Developers Guide to the Galaxy. *Enough Software GmbH+ Co. KG*, 1, 16-18.
- Want, R., Hopper, A., Falcao, V., & Gibbons, J. (1992, January). The Active Badge Location System. *ACM Trans. Inf. Syst.*, 10(1), 91–102.
- Wear. (2014). *Android wear*. Retrieved from http://developer.android.com/wear/index.html?utm_source=ausdroid.net (Accessed on 28/05/2014)
- Weyland, M. (2013). The internets common denominator. *Communication Systems VI*, 1, 59.
- Wobbrock, J. O. (2006). The future of mobile device research in HCI. In *CHI 2006 workshop proceedings: what is the next generation of human-computer interaction* (pp. 131–134).
- Xiao, R., Laput, G., & Harrison, C. (2014). Expanding the Input Expressivity of Smartwatches with Mechanical Pan, Twist, Tilt and Click. In *Proceedings of the*